



SR 24V low voltage control electric chain hoist

Product information



Rema® SR is technically advanced electric chain hoist with the most important advantages being the very high duty cycle and modular construction.

Properties

- 400 V, 3 Ph, 50 Hz, 24 V control voltage IP 55, isolation class F.
- Equipped with limit switches for highest and lowest hook position.
- Very low construction height
- Very high duty cycle due to air-cooled motor.
- User-friendly and maintenance-friendly due to modular design.
- Patented braking system that holds the load at any desired height.
- Slip clutch against overload.
- Due to the modular design, the motor, closed drive, brake and drive motor can be replaced independently of each other.
- Simple and quick to build from single-fall to double-fall hoist.
- Load chain Class DAT (Grade 8).

Standard delivery

- 3 m lifting height (max distance between top and bottom hook).
- Control height of 1,8 meter.
- Hoist equipped with thermal overload protection
- *Model 110/111 supplied with one hole suspension plate.
- 1 m power cable.
- Chain container.
- Trolley not included.

Option

- Higher lifting and control heights.
- Chain containers of larger capacity.
- Other operating voltages and frequencies are available.
- Cordless remote control.
- Push or electric trolley.

Marking: According to standard, CE-marked

Temperature range: Hoist equipped with thermal overload protection

Standard: EN 12100, EN 14492, EN 818-7

Part Code	GTIN No.	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Motor kW	Max. lifting height m	Load Chain dia x pitch mm	Duty rating % ED	Duty group of hoist FEM 9.511	Trolley type kg	Standard chain bag for lifting height m	A	B	C	G	G2	H	H2	J	Weight kg	Delivery time
R0851000-3	87173651789310.125	3	8	1		SR030/62-125/1-8-24V-3	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	16	2
R0851001-3	87173651790130.125	3	8/2	1		SR031/53-125/1-8/2-24V-3	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212	192	220	437	409	547	516	20	16	2
R0851000-4	87173651789480.125	4	8	1		SR030/62-125/1-8-24V-4	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	17	2
R0851001-4	87173651790200.125	4	8/2	1		SR031/53-125/1-8/2-24V-4	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212	192	220	437	409	547	516	20	17	2
R0851000-5	87173651789550.125	5	8	1		SR030/62-125/1-8-24V-5	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	18	2
R0851001-5	87173651790370.125	5	8/2	1		SR031/53-125/1-8/2-24V-5	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212	192	220	437	409	547	516	20	18	2
R0851000-6	87173651789620.125	6	8	1		SR030/62-125/1-8-24V-6	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	19	2
R0851001-6	87173651790440.125	6	8/2	1		SR031/53-125/1-8/2-24V-6	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212	192	220	437	409	547	516	20	19	2
R0851000-7	87173651789790.125	7	8	1		SR030/62-125/1-8-24V-7	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	20	2
R0851001-7	87173651790510.125	7	8/2	1		SR031/53-125/1-8/2-24V-7	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212	192	220	437	409	547	516	20	20	2
R0851000-8	87173651789860.125	8	8	1		SR030/62-125/1-8-24V-8	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	21	2
R0851001-8	87173651790680.125	8	8/2	1		SR031/53-125/1-8/2-24V-8	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212	192	220	437	409	547	516	20	21	2
R0851000-9	87173651789930.125	9	8	1		SR030/62-125/1-8-24V-9	0.55	30	5.2 x 15	60	4m	500	12	212	192	220	437	409	547	516	20	22	2

R0851001-9	87173651790750.125	9	8/2	1	SR031/53-125/1-8/2-24V-9	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212 192 220 437 409 547 516 20 22 2
R0851000-10	87173651790060.125	10	8	1	SR030/62-125/1-8-24V-10	0.55	30	5.2 x 15	60	4m	500	12	212 192 220 437 409 547 516 20 23 2
R0851001-10	87173651790820.125	10	8/2	1	SR031/53-125/1-8/2-24V-10	0.32/0.08	30	5.2 x 15	60/40	4m	500	12	212 192 220 437 409 547 516 20 23 2
R0851003-3	8717365179099 0.25	3	8/2	1	SR031/51-250/1-8/2-24V-3	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 17 2
R0851006-3	8717365179174 0.25	3	8	1	SR030/64-250/1-8-24V-3	0.55	30	5.2 x 15	50	3m	500	12	212 192 220 437 409 547 516 20 17 2
R0851003-4	8717365179105 0.25	4	8/2	1	SR031/51-250/1-8/2-24V-4	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 18 2
R0851006-4	8717365179181 0.25	4	8	1	SR030/64-250/1-8-24V-4	0.55	30	5.2 x 15	50	3m	500	12	212 192 220 437 409 547 516 20 18 2
R0851003-5	8717365179112 0.25	5	8/2	1	SR031/51-250/1-8/2-24V-5	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 19 2
R0851006-5	8717365179198 0.25	5	8	1	SR030/64-250/1-8-24V-5	0.55	30	5.2 x 15	50	3m	500	12	212 192 220 437 409 547 516 20 19 2
R0851003-6	8717365179129 0.25	6	8/2	1	SR031/51-250/1-8/2-24V-6	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 20 2
R0851006-6	8717365179204 0.25	6	8	1	SR030/64-250/1-8-24V-6	0.55	30	5.2 x 15	50	3m	500	12	212 192 220 437 409 547 516 20 20 2
R0851003-7	8717365179136 0.25	7	8/2	1	SR031/51-250/1-8/2-24V-7	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 21 2
R0851006-7	8717365179211 0.25	7	8	1	SR030/64-250/1-8-24V-7	0.55	30	5.2 x 15	50	3m	500	12	212 192 220 437 409 547 516 20 21 2
R0851003-8	8717365179143 0.25	8	8/2	1	SR031/51-250/1-8/2-24V-8	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 22 2
R0851006-8	8717365179228 0.25	8	8	1	SR030/64-250/1-8-24V-8	0.55	30	5.2 x 15	50	3m	500	12	212 192 220 437 409 547 516 20 22 2
R0851003-9	8717365179150 0.25	9	8/2	1	SR031/51-250/1-8/2-24V-9	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212 192 220 437 409 547 516 20 23 2

R0851006-9	8717365179235	0.25	9	8	1	SR030/64-250/1-8-24V-9	0.55	30	5.2 x 15	50	3m	500	12	212	192	220	437	409	547	516	20	23	2
R0851003-10	8717365179167	0.25	10	8/2	1	SR031/51-250/1-8/2-24V-10	0.32/0.08	30	5.2 x 15	50/25	3m	500	12	212	192	220	437	409	547	516	20	24	2
R0851006-10	8717365179242	0.25	10	8	1	SR030/64-250/1-8-24V-10	0.55	30	5.2 x 15	50	3m	500	12	212	192	220	437	409	547	516	20	24	2
R0851009-3	8717365179259	0.5	3	4/1	2	SR031/51-500/2-4/1-24V-3	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212	192	220	485	454	547	516	22	18	2
R0861013-3	8717365101595	0.5	3	8	1	SR030/52-500/1-8-24V-3	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	18	2
R0861013-4	8717365101601	0.5	4	8	1	SR030/52-500/1-8-24V-4	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	19	2
R0851009-4	8717365179266	0.5	4	4/1	2	SR031/51-500/2-4/1-24V-4	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212	192	220	485	454	547	516	22	19.5	2
R0861013-5	8717365101618	0.5	5	8	1	SR030/52-500/1-8-24V-5	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	20	2
R0861013-6	8717365101625	0.5	6	8	1	SR030/52-500/1-8-24V-6	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	21	2
R0851009-5	8717365179273	0.5	5	4/1	2	SR031/51-500/2-4/1-24V-5	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212	192	220	485	454	547	516	22	21	2
R0861013-7	8717365101632	0.5	7	8	1	SR030/52-500/1-8-24V-7	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	22	2
R0851009-6	8717365179280	0.5	6	4/1	2	SR031/51-500/2-4/1-24V-6	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212	192	220	485	454	547	516	22	22.5	2
R0861013-8	8717365101649	0.5	8	8	1	SR030/52-500/1-8-24V-8	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	23	2
R0851009-7	8717365179297	0.5	7	4/1	2	SR031/51-500/2-4/1-24V-7	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212	192	220	485	454	547	516	22	24	2
R0861013-9	8717365101656	0.5	9	8	1	SR030/52-500/1-8-24V-9	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	24	2
R0861013-10	8717365101663	0.5	10	8	1	SR030/52-500/1-8-24V-10	0.7	25	5.2 x 15	40	1Bm	2,000	8	212	192	220	437	409	547	516	20	25	2

R0851009-8	8717365179303	0.5	8	4/1	2	SR031/51-500/2-4/1-24V-8	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212 192 220 485 454 547 516 22 25.5	2
R0851009-9	8717365179310	0.5	9	4/1	2	SR031/51-500/2-4/1-24V-9	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212 192 220 485 454 547 516 22 27	2
R0851009-10	8717365179327	0.5	10	4/1	2	SR031/51-500/2-4/1-24V-10	0.32/0.08	15	5.2 x 15	50/25	3m	500	4	212 192 220 485 454 547 516 22 28.5	2
R0861016-3	8717365182761	0.5	3	8/2	1	SR071/54-500/1-8/2-24V-3	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 45	2
R0861016-4	8717365182778	0.5	4	8/2	1	SR071/54-500/1-8/2-24V-4	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 46.5	2
R0861016-5	8717365182785	0.5	5	8/2	1	SR071/54-500/1-8/2-24V-5	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 48	2
R0861016-6	8717365182792	0.5	6	8/2	1	SR071/54-500/1-8/2-24V-6	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 49.5	2
R0861016-7	8717365182808	0.5	7	8/2	1	SR071/54-500/1-8/2-24V-7	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 51	2
R0861016-8	8717365182815	0.5	8	8/2	1	SR071/54-500/1-8/2-24V-8	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 52.5	2
R0861016-9	8717365182822	0.5	9	8/2	1	SR071/54-500/1-8/2-24V-9	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 54	2
R0861016-10	8717365182839	0.5	10	8/2	1	SR071/54-500/1-8/2-24V-10	0.9/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 55.5	2
R0861015-3	8717365101830	1	3	4	2	SR030/52-1000/2-4-24V-3	0.7	12	5.2 x 15	40	1Bm	2,000	4	212 192 220 485 454 547 516 22 20	2
R0861015-4	8717365101847	1	4	4	2	SR030/52-1000/2-4-24V-4	0.7	12	5.2 x 15	40	1Bm	2,000	4	212 192 220 485 454 547 516 22 21.5	2
R0861015-5	8717365101854	1	5	4	2	SR030/52-1000/2-4-24V-5	0.7	12	5.2 x 15	40	1Bm	2,000	4	212 192 220 485 454 547 516 22 23	2
R0861015-6	8717365101861	1	6	4	2	SR030/52-1000/2-4-24V-6	0.7	12	5.2 x 15	40	1Bm	2,000	4	212 192 220 485 454 547 516 22 24.5	2
R0861015-7	8717365101878	1	7	4	2	SR030/52-1000/2-4-24V-7	0.7	12	5.2 x 15	40	1Bm	2,000	4	212 192 220 485 454 547 516 22 26	2

R0861015-8	8717365101885	1	8	4	2	SR030/52-1000/2-4-24V-8	0.7	12	5.2 x 15	40	1Bm	2,000	4	212	192	220	485	454	547	516	22	27.5	2
R0861015-9	8717365101892	1	9	4	2	SR030/52-1000/2-4-24V-9	0.7	12	5.2 x 15	40	1Bm	2,000	4	212	192	220	485	454	547	516	22	29	2
R0861015-10	8717365101908	1	10	4	2	SR030/52-1000/2-4-24V-10	0.7	12	5.2 x 15	40	1Bm	2,000	4	212	192	220	485	454	547	516	22	30.5	2
R0851033-3	8717365179334	1	3	6	1	SR070/55-1000/1-6-24V-3	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	45	2
R0851033-4	8717365179341	1	4	6	1	SR070/55-1000/1-6-24V-4	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	46.5	2
R0851033-5	8717365179358	1	5	6	1	SR070/55-1000/1-6-24V-5	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	48	2
R0851033-6	8717365179365	1	6	6	1	SR070/55-1000/1-6-24V-6	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	49.5	2
R0851033-7	8717365179372	1	7	6	1	SR070/55-1000/1-6-24V-7	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	51	2
R0851033-8	8717365179389	1	8	6	1	SR070/55-1000/1-6-24V-8	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	52.5	2
R0861029-3	8717365101991	1	3	6/1,5	1	SR071/55-1T/1-6/1,5-24V-3	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266	232	274	500	460	607	567	22	53	2
R0851033-9	8717365179396	1	9	6	1	SR070/55-1000/1-6-24V-9	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	54	2
R0851033-10	8717365179402	1	10	6	1	SR070/55-1000/1-6-24V-10	1.1	17	7.2 x 21	40	2m	2,000	5	266	232	274	500	460	607	567	22	55.5	2
R0861029-4	8717365102004	1	4	6/1,5	1	SR071/55-1T/1-6/1,5-24V-4	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266	232	274	500	460	607	567	22	55.5	2
R0861029-5	8717365102011	1	5	6/1,5	1	SR071/55-1T/1-6/1,5-24V-5	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266	232	274	500	460	607	567	22	58	2
R0861029-6	8717365102028	1	6	6/1,5	1	SR071/55-1T/1-6/1,5-24V-6	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266	232	274	500	460	607	567	22	60.5	2
R0861029-7	8717365102035	1	7	6/1,5	1	SR071/55-1T/1-6/1,5-24V-7	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266	232	274	500	460	607	567	22	63	2

R0861029-8	8717365102042	1	8	6/1,5	1	SR071/55-1T/1-6/1,5-24V-8	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 65.5	2
R0861029-9	8717365102059	1	9	6/1,5	1	SR071/55-1T/1-6/1,5-24V-9	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 68	2
R0861029-10	8717365102066	1	10	6/1,5	1	SR071/55-1T/1-6/1,5-24V-10	1.1/0.2	17	7.2 x 21	60/25	2m	2,000	5	266 232 274 500 460 607 567 22 70.5	2
R0861044-3	8717365182938	1.6	3	8/2	1	SR091/55-1,6/1-8/2-24V-3	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 78	2
R0861044-4	8717365182945	1.6	4	8/2	1	SR091/55-1,6/1-8/2-24V-4	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 80.3	2
R0861044-5	8717365182952	1.6	5	8/2	1	SR091/55-1,6/1-8/2-24V-5	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 82.6	2
R0861044-6	8717365182969	1.6	6	8/2	1	SR091/55-1,6/1-8/2-24V-6	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 84.9	2
R0861044-7	8717365182976	1.6	7	8/2	1	SR091/55-1,6/1-8/2-24V-7	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 87.2	2
R0861044-8	8717365182983	1.6	8	8/2	1	SR091/55-1,6/1-8/2-24V-8	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 89.5	2
R0861044-9	8717365182990	1.6	9	8/2	1	SR091/55-1,6/1-8/2-24V-9	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 91.8	2
R0861044-10	8717365182921	1.6	10	8/2	1	SR091/55-1,6/1-8/2-24V-10	3/0.75	18	9.0 x 27	60/25	2m	3,200	10	359 283 359 615 548 746 680 28 94.1	2
R0861031-3	8717365102479	2	3	3/0,75	2	SR071/55-2T/2-3/0,75-24V-3	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266 232 274 601 561 607 567 28 53	2
R0861035-3	8717365102554	2	3	5	2	SR070/53-2T/2-5-24V-3	1.7	8	7.2 x 21	60	1Am	2,000	4	266 232 274 601 561 607 567 28 53	2
R0861031-4	8717365102486	2	4	3/0,75	2	SR071/55-2T/2-3/0,75-24V-4	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266 232 274 601 561 607 567 28 55.5	2
R0861035-4	8717365102561	2	4	5	2	SR070/53-2T/2-5-24V-4	1.7	8	7.2 x 21	60	1Am	2,000	4	266 232 274 601 561 607 567 28 55.5	2
R0861031-5	8717365102493	2	5	3/0,75	2	SR071/55-2T/2-3/0,75-24V-5	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266 232 274 601 561 607 567 28 58	2

R0861035-5	8717365102578	2	5	5	2	SR070/53-2T/2-5-24V-5	1.7	8	7.2 x 21	60	1Am	2,000	4	266	232	274	601	561	607	567	28	58	2
R0861031-6	8717365102509	2	6	3/0,75	2	SR071/55-2T/2-3/0,75-24V-6	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266	232	274	601	561	607	567	28	60.5	2
R0861035-6	8717365102585	2	6	5	2	SR070/53-2T/2-5-24V-6	1.7	8	7.2 x 21	60	1Am	2,000	4	266	232	274	601	561	607	567	28	60.5	2
R0861031-7	8717365102516	2	7	3/0,75	2	SR071/55-2T/2-3/0,75-24V-7	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266	232	274	601	561	607	567	28	63	2
R0861035-7	8717365102592	2	7	5	2	SR070/53-2T/2-5-24V-7	1.7	8	7.2 x 21	60	1Am	2,000	4	266	232	274	601	561	607	567	28	63	2
R0861031-8	8717365102523	2	8	3/0,75	2	SR071/55-2T/2-3/0,75-24V-8	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266	232	274	601	561	607	567	28	65.5	2
R0861035-8	8717365102608	2	8	5	2	SR070/53-2T/2-5-24V-8	1.7	8	7.2 x 21	60	1Am	2,000	4	266	232	274	601	561	607	567	28	65.5	2
R0861031-9	8717365102530	2	9	3/0,75	2	SR071/55-2T/2-3/0,75-24V-9	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266	232	274	601	561	607	567	28	68	2
R0861035-9	8717365102615	2	9	5	2	SR070/53-2T/2-5-24V-9	1.7	8	7.2 x 21	60	1Am	2,000	4	266	232	274	601	561	607	567	28	68	2
R0861031-10	8717365102547	2	10	3/0,75	2	SR071/55-2T/2-3/0,75-24V-10	1.1/0.2	8	7.2 x 21	60/25	2m	2,000	4	266	232	274	601	561	607	567	28	70.5	2
R0861035-10	8717365102622	2	10	5	2	SR070/53-2T/2-5-24V-10	1.7	8	7.2 x 21	60	1Am	2,000	4	266	232	274	601	561	607	567	28	70.5	2
R0861053-3	8717365102714	2.5	3	10/2,5	1	SR111/52-2,5T/10/2,5-24V-3	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359	291	410	732	678	792	738	30	108	2
R0861053-4	8717365102721	2.5	4	10/2,5	1	SR111/52-2,5T/10/2,5-24V-4	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359	291	410	732	678	792	738	30	111.2	2
R0861053-5	8717365102738	2.5	5	10/2,5	1	SR111/52-2,5T/10/2,5-24V-5	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359	291	410	732	678	792	738	30	114.4	2

R0861053-6	8717365102745	2.5	6	10/2,5	1	SR111/52-2,5T/10/2,5-24V-6	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359 291 410 732 678 792 738 30	117.6	2
R0861053-7	8717365102752	2.5	7	10/2,5	1	SR111/52-2,5T/10/2,5-24V-7	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359 291 410 732 678 792 738 30	120.8	2
R0861053-8	8717365102769	2.5	8	10/2,5	1	SR111/52-2,5T/10/2,5-24V-8	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359 291 410 732 678 792 738 30	124	2
R0861053-9	8717365102776	2.5	9	10/2,5	1	SR111/52-2,5T/10/2,5-24V-9	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359 291 410 732 678 792 738 30	127.2	2
R0861053-10	8717365102783	2.5	10	10/2,5	1	SR111/52-2,5T/10/2,5-24V-10	4.4/1.1	12	11.3 x 31	40/25	2m	6,300	6	359 291 410 732 678 792 738 30	130.4	2
R0861046-3	8717365182853	3.2	3	4/1	2	SR091/55-3,2/2-4/1-24V-3	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	88	2
R0861046-4	8717365182860	3.2	4	4/1	2	SR091/55-3,2/2-4/1-24V-4	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	92	2
R0861046-5	8717365182877	3.2	5	4/1	2	SR091/55-3,2/2-4/1-24V-5	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	96	2
R0861046-6	8717365182884	3.2	6	4/1	2	SR091/55-3,2/2-4/1-24V-6	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	100	2
R0861046-7	8717365182891	3.2	7	4/1	2	SR091/55-3,2/2-4/1-24V-7	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	104	2
R0861057-3	8717365103032	3.2	3	8/2	1	SR111/54-3,2T/1-8/2-24V-3	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	108	2
R0861046-8	8717365182907	3.2	8	4/1	2	SR091/55-3,2/2-4/1-24V-8	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	108	2
R0861057-4	8717365103049	3.2	4	8/2	1	SR111/54-3,2T/1-8/2-24V-4	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	111.2	2
R0861046-9	8717365182914	3.2	9	4/1	2	SR091/55-3,2/2-4/1-24V-9	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	112	2

R0861057-5	8717365103056	3.2	5	8/2	1	SR111/54-3,2T/1-8/2-24V-5	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	114.4	2
R0861046-10	8717365182846	3.2	10	4/1	2	SR091/55-3,2/2-4/1-24V-10	3/0.75	9	9.0 x 27	60/25	2m	3,200	5	359 283 359 615 548 746 680 28	116	2
R0861057-6	8717365103063	3.2	6	8/2	1	SR111/54-3,2T/1-8/2-24V-6	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	117.6	2
R0861057-7	8717365103070	3.2	7	8/2	1	SR111/54-3,2T/1-8/2-24V-7	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	120.8	2
R0861057-8	8717365103087	3.2	8	8/2	1	SR111/54-3,2T/1-8/2-24V-8	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	124	2
R0861057-9	8717365103094	3.2	9	8/2	1	SR111/54-3,2T/1-8/2-24V-9	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	127.2	2
R0861057-10	8717365103100	3.2	10	8/2	1	SR111/54-3,2T/1-8/2-24V-10	4.4/1.1	12	11.3 x 31	25/25	1Bm	6,300	6	359 291 410 732 678 792 738 30	130.4	2
R0861055-3	8717365103193	5	3	5/1,25	2	SR111/52-5T/2-5/1,25-24V-3	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	125	2
R0861055-4	8717365103209	5	4	5/1,25	2	SR111/52-5T/2-5/1,25-24V-4	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	131	2
R0861055-5	8717365103216	5	5	5/1,25	2	SR111/52-5T/2-5/1,25-24V-5	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	137	2
R0861055-6	8717365103223	5	6	5/1,25	2	SR111/52-5T/2-5/1,25-24V-6	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	143	2
R0861055-7	8717365103230	5	7	5/1,25	2	SR111/52-5T/2-5/1,25-24V-7	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	149	2
R0861055-8	8717365103247	5	8	5/1,25	2	SR111/52-5T/2-5/1,25-24V-8	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	155	2
R0861055-9	8717365103254	5	9	5/1,25	2	SR111/52-5T/2-5/1,25-24V-9	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	161	2
R0861055-10	8717365103261	5	10	5/1,25	2	SR111/52-5T/2-5/1,25-24V-10	4.4/1.1	6	11.3 x 31	40/25	2m	6,300	3	359 291 410 861 807 792 738 42	167	2

R0861059-3	8717365103278	6.3	3	4/1	2	SR111/54-6,3T/2-4/1-24V-3	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 125	2
R0861059-4	8717365103285	6.3	4	4/1	2	SR111/54-6,3T/2-4/1-24V-4	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 131	2
R0861059-5	8717365103292	6.3	5	4/1	2	SR111/54-6,3T/2-4/1-24V-5	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 137	2
R0861059-6	8717365103308	6.3	6	4/1	2	SR111/54-6,3T/2-4/1-24V-6	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 143	2
R0861059-7	8717365103315	6.3	7	4/1	2	SR111/54-6,3T/2-4/1-24V-7	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 149	2
R0861059-8	8717365103322	6.3	8	4/1	2	SR111/54-6,3T/2-4/1-24V-8	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 155	2
R0861059-9	8717365103339	6.3	9	4/1	2	SR111/54-6,3T/2-4/1-24V-9	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 161	2
R0861059-10	8717365103346	6.3	10	4/1	2	SR111/54-6,3T/2-4/1-24V-10	4.4/1.0	6	11.3 x 31	25/25	1Bm	6,300	3	359 291 410 861 807 792 738 42 167	2

Blueprint

