



TEO Mechanical crane scale

Product information



The REMA TEO mechanical crane scale with one suspension eye and hook with safety latch up to 5,000 kg and from 12,500 kg up to 85,000 kg with 2 eyes.

Properties

- Very robust design.
- Low self weight.
- Plexiglas with rubber edge protects the display.
- Accuracy within 1% of the full reading.
- Very easy trimming for zero adjustment.
- Safety factor 5 (safety factor 4 from TEO-5000).

Options

- Distance reading.
- Bow shackle.

Marking: According to standard, CE-marked

Standard: EN 13155, EN 12100

Part Code	GTIN No.	WLL ton	Model	Resolution kg	A mm	B mm	C mm	D mm	E mm	Weight kg	Delivery time
R1550001	8717365007606	0.2	TEO-200	1	60	53	230	27	35	5	2
R1550003	8717365007613	0.32	TEO-320	2	60	53	230	27	35	5	2
R1550005	8717365007620	0.5	TEO-500	2	60	53	230	27	35	5	2
R1550007	8717365007637	0.75	TEO-750	5	60	53	230	27	35	5	2
R1550009	8717365007644	1.25	TEO-1250	5	60	53	230	27	35	5	2
R1550011	8717365007651	2	TEO-2000	10	60	53	230	27	35	5	2
R1550013	8717365007668	3.2	TEO-3200	20	75	53	280	34	46	5.5	2
R1550015	8717365007675	5	TEO-5000	20	75	53	300	42	56	6.5	2
R1550017	8717365007682	12.5	TEO-12.500	50	40	41	213	-	-	8.1	2
R1550019	8717365007699	25	TEO-25.000	100	55	42	267	-	-	12.9	2
R1550021	8717365007705	50	TEO-50.000	200	75	56	329	-	-	25	2
R1550023	8717365007712	85	TEO-85.000	500	85	60	390	-	-	60	2

Blueprint

