



Closed Body Rigging Screws G-6345

Product information

Closed body rigging screw with eye-jaw.

Material: mild steel

Marking: CE-marked

Finish: hot dipped galvanized

Note: end fittings of 6 and 8 mm rigging screws are electro-galvanized

Safety factor: 5:1

Part Code	WLL ton	a mm	b mm	c mm	d mm	e mm	f mm	g mm	h mm	i mm	j mm	k mm	Weight kg	Delivery time
422100020270	0.2	6	100	165	247	5	16	7	20	13	11	11	0.14	7
422100030270	0.32	8	108	187	267	6	22	9	24	14	12	12	0.24	7
422100050270	0.5	10	125	214	306	8	22	10.5	28	19	13	13	0.53	7
422100070270	0.7	12	195	317	475	10	27	13	34	23	30	15	0.83	7
422100120270	1.2	16	230	384	562	12	33	18	42	29	40	20	1.49	7
422100150270	1.5	20	270	452	657	16	38	20	51	33	50	24	2.54	7
422100220270	2.2	22	295	493	717	20	45	25	55	38	50	24	3.34	7
422100320270	3.2	24	325	539	791	22	52	30	70	46	56	28	4.65	7
422100480270	4.8	33	370	670	952	30	70	38	82	60	70	35	10.5	7
422100600270	6	39	400	714	1,011	33	70	45	85	76	80	40	12.8	7
422100850270	8.5	45	400	741	945	39	86	50	94	85	49	49	20.8	7
422101100270	11	48	400	774	1,018	45	97	58	98	92	52	52	24	7

Blueprint

