

Thimble DIN 6899B



Product information

Design: Pressed of profile steel.

Finish: Galvanized

Part Code	Rope Ø range mm	a mm	b mm	c mm	d mm	e mm	Weight kg/100pc	Delivery time
123100250010	2.5	3	22	19	12	1.6	0.6	2
123100350010	3.5	4	26	21	13	1.6	0.7	2
123100400010	4	5	32	23	14	1.9	0.9	2
123100500010	5	6	38	25	16	2.4	1.8	2
123100600010	6	7	44	28	18	2.4	1.9	2
123100700010	7	8	51	32	20	2.8	2.7	2
123100900010	9	10	57	38	24	3.1	4.1	2
123101100010	11	12	64	45	28	3.3	6.9	2

123101200010	12	13	70	48	30	3.3	7.6	2
123101300010	13	14	76	51	32	3.7	9.2	2
123101500010	15	16	83	58	36	3.8	16.4	2
123101600010	16	17	89	61	38	4.7	19	2
123101800010	18	20	102	72	45	5.7	27.3	2
123102000010	20	22	114	80	50	5.7	28.6	2
123102200010	22	24	127	90	56	6.5	44.8	2
123102400010	24	26	140	99	62	6.8	57.7	2
123102600010	26	28	152	112	70	8	72	2
123103400010	34	36	216	160	100	8.5	176	7
123103600010	36	38	229	176	110	8.5	195	7
123104000010	40	42	254	192	120	10.5	320	2
123104200010	42	45	305	240	150	10.5	364	2
123104700010	47	50	360	265	160	12	535	7

Blueprint

