



Pump Chain Pewag PCWI Stainless

Product information

Application for submersible pumps and breathers in the water and waste water area.

Material: 1.4404 (AISI 316L), 1.4462 (AISI 318LN).

Finish: Bright polished.

Safety factor: 4:1

Grade: 6

Part Code	WLL ton	Master link	Transition link	Chain type	Shackle jaw space mm	Length of master links/end links mm	Weight SL*	AWI mm	BWI mm	Delivery time
229862515	0.32	AWI 6	-	WOX 4x12-5	18	60	0.39	6x60x35	-	7
229887067	0.4	AWI 8	BWI 5	WOX 4x12	18	60	0.43	8x60x35	5x26x13	7
229887069	0.56	AWI 8	BWI 7	WOX 5x15	25	60	0.62	8x60x35	7x36x16	7
229887071	0.63	AWI 10	BWI 7	WOX 5x15	25	80	0.68	10x80x50	7x36x16	7
229887073	0.85	AWI 10	BWI 7	WOX 6x18	25	80	0.9	10x80x50	7x36x16	7
229887075	1.25	AWI 13	BWI 9	WOX 7x21	25	110	1.35	13x110x60	9x44x20	7
229887077	1.6	AWI 13	BWI 10	WOX 8x24	32	110	1.7	13x110x60	10x44x20	7
229887079	2.5	AWI 16	BWI 13	WOX 10x30	41	110	2.6	16x110x60	13x54x25	7
229887081	3.5	AWI 18	BWI 16	WOX 13X39	56	135	4.5	18x135x75	16x70x34	7
229887082	6.3	AWI 22	BWI 20	WOX 16x48	56	160	8	23x160x90	20x85x40	7
229830193	8	AWI 26	BWI 22	WOX 20x60	76	180	21	27x180x100	23x115x50	7
229830196	12	AWI 45	BWI 32	WOX 26x78	76	340	43.2	45x340x180	32x150x70	7

Blueprint

