

Elephant C-21 hand chain hoist

Product information



Safety factor of at least 4.8 or higher. Very compact and light body, 5.5 kg, 0.5 ton, easy to carry. Strong and dimensionally stable housing due to high-quality metal. Durable brake discs guarantee a longer life. The strongest hoist load chain B39VH, Grade 10. High quality solid forged hooks equipped with a strong and stable safety latch for even more safety.

Properties

- Ideal manual chain hoist for assembly work due to its low weight.
- Galvanized load chain with high tensile strength, Grade 10 according to EN 818/7.
- Compact design.
- Reliable load pressure brake that holds the load at any height.
- Hooks fitted with safety flaps.
- Patented guide for the load chain.
- Equipped with a double ratchet spring for extra safety.
- Load hooks bend gradually when overloaded and do not break abruptly.
- Galvanized hand chain.

Standard delivery

- 3 m lifting height.
- 2,5 m operating height.

Option

- Available in any other hoisting and operational heights.


... [Read more](#)

Marking: According to standard, CE-marked

Standard: EN 13157, EN 818-7

Elephant C-21 hand chain hoist

Blueprint



Technical data

Part code	Code	WLL ton	Lifting height m	Number of falls	Model	Load chain mm	Hand chain mm	Construction height mm	Hand force max. kg	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	Weight kg
500500050300260	8717365259814	0.5	3	1	C21/500KG/3M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	6
500500050400260	8717365264436	0.5	4	1	C21/500KG/4M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	7.2
500500050500260	8717365264443	0.5	5	1	C21/500KG/5M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	8.4
500500050600260	8717365264450	0.5	6	1	C21/500KG/6M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	9.6
500500050700260	8717365090134	0.5	7	1	C21/500KG/7M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	12
500500050800260	8717365090141	0.5	8	1	C21/500KG/8M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	13.8
500500050900260	8717365090158	0.5	9	1	C21/500KG/9M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	15
500500051000260	8717365090165	0.5	10	1	C21/500KG/10M	4.3 x 12	4.5 x 23	275	26	275	131	54	77	121	24	36	17	13	16.2
500500100300260	8717365259845	1	3	1	C21/1000KG/3M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	10
500500100400260	8717365264467	1	4	1	C21/1000KG/4M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	11.5
500500100500260	8717365264474	1	5	1	C21/1000KG/5M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	13
500500100600260	8717365264481	1	6	1	C21/1000KG/6M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	14.5
500500100700260	8717365090172	1	7	1	C21/1000KG/7M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	17.5
500500100800260	8717365090189	1	8	1	C21/1000KG/8M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	19

Elephant C-21 hand chain hoist

Technical data

Part code	Code	WLL ton	Lifting height m	Number of falls	Model	Load chain mm	Hand chain mm	Construction height mm	Hand force max. kg	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	Weight kg
500500100900260	8717365090196	1	9	1	C21/1000KG/9M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	20.5
500500101000260	8717365090202	1	10	1	C21/1000KG/10M	5.6 x 17	4.5 x 23	310	32	310	143	61	82	148	29	43	22	16	22
500500150300260	8717365259876	1.5	3	1	C21/1500KG/3M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	14
500500150400260	8717365264498	1.5	4	1	C21/1500KG/4M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	15.7
500500150500260	8717365264504	1.5	5	1	C21/1500KG/5M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	17.3
500500150600260	8717365264511	1.5	6	1	C21/1500KG/6M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	19
500500150700260	8717365090219	1.5	7	1	C21/1500KG/7M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	22.3
500500150800260	8717365090226	1.5	8	1	C21/1500KG/8M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	24
500500150900260	8717365090233	1.5	9	1	C21/1500KG/9M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	25.6
500500151000260	8717365090240	1.5	10	1	C21/1500KG/10M	6.5 x 19	4.5 x 23	340	33	340	152	68	84	168	29	43	26	21	27.3
500500200300260	8717365259906	2	3	1	C21/2000KG/3M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	20
500500200400260	8717365264528	2	4	1	C21/2000KG/4M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	22
500500200500260	8717365264535	2	5	1	C21/2000KG/5M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	24
500500200600260	8717365098017	2	6	1	C21/2000KG/6M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	26
500500200700260	8717365090257	2	7	1	C21/2000KG/7M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	30
500500200800260	8717365090264	2	8	1	C21/2000KG/8M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	32
500500200900260	8717365090271	2	9	1	C21/2000KG/9M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	34
500500201000260	8717365090288	2	10	1	C21/2000KG/10M	7.5 x 21	4.5 x 23	384	33	384	164	75	89	193	34	53	29	22	36
500500300300260	8717365259937	3	3	2	C21/3000KG/3M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	20

Elephant C-21 hand chain hoist

Technical data

Part code	Code	WLL ton	Lifting height m	Number of falls	Model	Load chain mm	Hand chain mm	Construction height mm	Hand force max. kg	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	Weight kg
500500300400260	8717365264559	3	4	2	C21/3000KG/4M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	22.7
500500300500260	8717365264566	3	5	2	C21/3000KG/5M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	25.4
500500300600260	8717365264573	3	6	2	C21/3000KG/6M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	28.1
500500300700260	8717365090295	3	7	2	C21/3000KG/7M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	33.5
500500300800260	8717365090301	3	8	2	C21/3000KG/8M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	36.2
500500300900260	8717365090318	3	9	2	C21/3000KG/9M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	38.9
500500301000260	8717365090325	3	10	2	C21/3000KG/10M	6.5 x 19	4.5 x 23	480	38	480	152	68	84	209	36	53	35	28	41.6
500500500300260	8717365259968	5	3	3	C21/5000KG/3M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	35.5
500500500400260	8717365264580	5	4	3	C21/5000KG/4M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	40.2
500500500500260	8717365264597	5	5	3	C21/5000KG/5M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	44.8
500500500600260	8717365264603	5	6	3	C21/5000KG/6M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	49.5
500500500700260	8717365090332	5	7	3	C21/5000KG/7M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	58.8
500500500800260	8717365090349	5	8	3	C21/5000KG/8M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	63.4
500500500900260	8717365090356	5	9	3	C21/5000KG/9M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	68
500500501000260	8717365090363	5	10	3	C21/5000KG/10M	7.5 x 21	4.5 x 23	555	34	555	164	75	89	297	45	70	46	34	73