




Elephant C-21 hand chain hoist

Product information



Safety factor of at least 4.8 or higher. Very compact and light body, 5.5 kg, 0.5 ton, easy to carry. Strong and dimensionally stable housing due to high-quality metal. Durable brake discs guarantee a longer life. The strongest hoist load chain B39VH, Grade 10. High quality solid forged hooks equipped with a strong and stable safety latch for even more safety.

Properties

- Ideal manual chain hoist for assembly work due to its low weight.
- Galvanized load chain with high tensile strength, Grade 10 according to EN 818/7.
- Compact design.
- Reliable load pressure brake that holds the load at any height.
- Hooks fitted with safety flaps.
- Patented guide for the load chain.
- Equipped with a double ratchet spring for extra safety.
- Load hooks bend gradually when overloaded and do not break abruptly.
- Galvanized hand chain.

Standard delivery

- 3 m lifting height.
- 2,5 m operating height.

Option

- Available in any other hoisting and operational heights.

Marking: According to standard, CE-marked

Standard: EN 13157, EN 818-7

Part code	Lifting height m
R0021001-3M	3
R0021003-3M	3
R0021005-3M	3
R0021007-3M	3
R0021009-3M	3
R0021011-3M	3
R0021001-4	4
R0021003-4	4
R0021005-4	4
R0021007-4	4
R0021009-4	4
R0021011-4	4
R0021001-5	5
R0021003-5	5
R0021005-5	5
R0021007-5	5
R0021009-5	5
R0021011-5	5
R0021001-6	6
R0021003-6	6
R0021005-6	6
R0021007-6	6

R0021009-6	6
R0021011-6	6
R0021001-7	7
R0021003-7	7
R0021005-7	7
R0021007-7	7
R0021009-7	7
R0021011-7	7
R0021001-8	8
R0021003-8	8
R0021005-8	8
R0021007-8	8
R0021009-8	8
R0021011-8	8
R0021001-9	9
R0021003-9	9
R0021005-9	9
R0021007-9	9
R0021009-9	9
R0021011-9	9
R0021001-10	10
R0021003-10	10
R0021005-10	10

R0021007-10	10
R0021009-10	10
R0021011-10	10

Technical data

Blueprint

