



## S20G Low headroom hoist/geared trolley combination

### Product information



These low headroom hoist-trolley combinations are only supplied with Rema® Select 200OD hand or block chain hoist.

#### Properties

- Low headroom.
- Operating with hand chain.
- Technical detail hand chain hoist, see Select 200OD.
- Wheel fracture support devices for additional safety.
- Adjustable to allow attachment to different beam sizes.

#### Standard delivery

- Including hand operated trolley.
- 3 meters lifting height (max. between top and bottom hook).
- 2.5 m operating height.

#### Option

- Available in other lifting and operating height on request.

**Marking:** According to standard, CE-marked

**Standard:** EN 13157, EN 818-7

Part code	GTIN No.	WLL ton	Lifting height m	Number of falls	Beam width mm	Model	Wheels diameter mm	Load chain mm	Hand chain mm	Minimum radius mm	A mm	B mm	Cmin (mm)	F mm	Hmin mm	M mm	S mm	Z mm	Weight kg	Delivery time
-----------	----------	------------	------------------------	--------------------	---------------------	-------	--------------------------	------------------	------------------	-------------------------	---------	---------	--------------	---------	------------	---------	---------	---------	--------------	------------------

R0931001-38717365117664	0.5	3	1	50-203	S20G/200OD/0.5T/3M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	22	30
R0931001-48717365117671	0.5	4	1	50-203	S20G/200OD/0.5T/4M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	25	30
R0931001-58717365117688	0.5	5	1	50-203	S20G/200OD/0.5T/5M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	27	30
R0931001-68717365117695	0.5	6	1	50-203	S20G/200OD/0.5T/6M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	29.5	30
R0931001-78717365117701	0.5	7	1	50-203	S20G/200OD/0.5T/7M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	32.5	30
R0931001-88717365117718	0.5	8	1	50-203	S20G/200OD/0.5T/8M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	34.5	30
R0931001-98717365117725	0.5	9	1	50-203	S20G/200OD/0.5T/9M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	37	30
R0931001-10-8717365117732	0.5	10	1	50-203	S20G/200OD/0.5T/10M	55	5.0 x 15	5.0 x 23.7	800	322	258	310.5	1,5- 3	243.5	50-203	30	9	40	30
R0931003-38717365117749	1	3	1	64-305	S20G/200OD/1T/3M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	32	30
R0931003-48717365117756	1	4	1	64-305	S20G/200OD/1T/4M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	35	30
R0931003-58717365117763	1	5	1	64-305	S20G/200OD/1T/5M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	37.5	30
R0931003-68717365117770	1	6	1	64-305	S20G/200OD/1T/6M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	40.5	30
R0931003-78717365117787	1	7	1	64-305	S20G/200OD/1T/7M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	43.5	30
R0931003-88717365117794	1	8	1	64-305	S20G/200OD/1T/8M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	46	30
R0931003-98717365117800	1	9	1	64-305	S20G/200OD/1T/9M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	49	30
R0931003-10-8717365117817	1	10	1	64-305	S20G/200OD/1T/10M	68	6.3 x 19.1	5.0 x 23.7	900	435	292	420	1,5- 3	340	64-305	37	8	51	30

R0931005-38717365117824	1.5	3	1	74-305	S20G/200OD/1.5T/3M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	44	30
R0931005-48717365117831	1.5	4	1	74-305	S20G/200OD/1.5T/4M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	46.6	30
R0931005-58717365117848	1.5	5	1	74-305	S20G/200OD/1.5T/5M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	49.5	30
R0931005-68717365117855	1.5	6	1	74-305	S20G/200OD/1.5T/6M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	52.5	30
R0931005-78717365117862	1.5	7	1	74-305	S20G/200OD/1.5T/7M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	55.5	30
R0931005-88717365117879	1.5	8	1	74-305	S20G/200OD/1.5T/8M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	58.5	30
R0931005-98717365117886	1.5	9	1	74-305	S20G/200OD/1.5T/9M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	61	30
R0931005-108717365117893	1.5	10	1	74-305	S20G/200OD/1.5T/10M	80	7.1 x 21	5.0 x 23.7	1,000	433	360	460	1,5-3	380	74-305	39	10	65.5	30
R0931007-38717365117909	2	3	1	88-305	S20G/200OD/2T/3M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	48	3
R0931007-48717365117916	2	4	1	88-305	S20G/200OD/2T/4M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	52	30
R0931007-58717365117923	2	5	1	88-305	S20G/200OD/2T/5M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	54.5	3
R0931007-68717365117930	2	6	1	88-305	S20G/200OD/2T/6M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	58.5	30
R0931007-78717365117947	2	7	1	88-305	S20G/200OD/2T/7M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	61.5	30
R0931007-88717365117954	2	8	1	88-305	S20G/200OD/2T/8M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	65	30
R0931007-98717365117961	2	9	1	88-305	S20G/200OD/2T/9M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	68	30
R0931007-108717365117978	2	10	1	88-305	S20G/200OD/2T/10M	80	8.0 x 24	5.0 x 23.7	1,000	446	360	500	1,5-3	405	88-305	38	10	71	30

R0931009-38717365117985	3	3	2	100-305	S20G/200OD/3T/3M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	70	30
R0931009-48717365117992	3	4	2	100-305	S20G/200OD/3T/4M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	75	30
R0931009-58717365118005	3	5	2	100-305	S20G/200OD/3T/5M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	78.5	30
R0931009-68717365118012	3	6	2	100-305	S20G/200OD/3T/6M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	83	30
R0931009-78717365118029	3	7	2	100-305	S20G/200OD/3T/7M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	87.5	30
R0931009-88717365118036	3	8	2	100-305	S20G/200OD/3T/8M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	91	30
R0931009-98717365118043	3	9	2	100-305	S20G/200OD/3T/9M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	96	30
R0931009-108717365118050	3	10	2	100-305	S20G/200OD/3T/10M	100	7.1 x 21	5.0 x 23.7	1,200	459	430	590	1,5-3	475	100-305	42	12	100	30
R0931011-38717365118067	5	3	2	114-305	S20G/200OD/5T/3M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	112	30
R0931011-48717365118074	5	4	2	114-305	S20G/200OD/5T/4M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	118	30
R0931011-58717365118081	5	5	2	114-305	S20G/200OD/5T/5M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	124	30
R0931011-68717365118098	5	6	2	114-305	S20G/200OD/5T/6M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	130	30
R0931011-78717365118104	5	7	2	114-305	S20G/200OD/5T/7M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	134	30
R0931011-88717365118111	5	8	2	114-305	S20G/200OD/5T/8M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	139	30
R0931011-98717365118128	5	9	2	114-305	S20G/200OD/5T/9M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	145	30
R0931011-108717365118135	5	10	2	114-305	S20G/200OD/5T/10M	110	9.0 x 27	5.0 x 23.7	1,300	474	447	725	1,5-3	610	114-305	41.5	16	150	30

# Blueprint

