



S5 EX polyester round slings

Product information



The professional round sling for intensive industrial use.

Extra professional round sling extremely suitable for intensive industrial use. This type of round sling has proven itself for years in the German heavy industry.


Sleeve Protected Label

Reducing the possibility of wear and tear drastically.



Please note: without a label, the product may not be put into operation - due to European legislation (EN 1492-2).

Packaging



Packaged in semi-biodegradable plastic.

Properties

- WLL stripes, each stripe indicates 1 ton (up to 10 ton).
- Continuous marked with the load capacity.
- High-quality herringbone polyester cover, a very strong and wear-resistant cover is obtained by weaving a strong monofil textile thread.
- Higher wear resistance due to the rib structure on the woven cover.
- Sleeve protected label.

Marking: According to standard, CE-marked

Standard: EN 1492-2

Note: Packed in plastic including REMA manual.

Part code	GTIN No.	WLL ton	EWL m	Colour	Weight kg	Delivery time
R1321001	8717365006319	1	1	Violet	0.44	3
R1321003	8717365006326	1	1.5	Violet	0.66	3
R1321005	8717365006333	1	2	Violet	0.88	30
R1321007	8717365006340	1	2.5	Violet	1.11	3
R1321009	8717365006357	1	3	Violet	1.33	3
R1321010	8717365006364	1	3.5	Violet	1.55	3
R1321011	8717365006371	1	4	Violet	1.77	3
R1321013	8717365019982	1	5	Violet	2.22	30
R1323001	8717365006401	2	1	Green	0.72	3

R1323003	8717365006418	2	1.5	Green	1.08	3
R1323005	8717365006425	2	2	Green	1.44	30
R1323007	8717365006432	2	2.5	Green	1.8	3
R1323009	8717365006449	2	3	Green	2.16	3
R1323010	8717365006456	2	3.5	Green	2.52	30
R1323011	8717365006463	2	4	Green	2.88	3
R1323013	8717365006470	2	5	Green	3.6	30
R1325001	8717365006494	3	1	Yellow	1.07	3
R1325003	8717365006500	3	1.5	Yellow	1.6	3
R1325005	8717365006517	3	2	Yellow	2.14	3
R1325007	8717365006524	3	2.5	Yellow	2.68	3
R1325009	8717365006531	3	3	Yellow	3.21	3
R1325010	8717365006548	3	3.5	Yellow	3.75	30
R1325011	8717365006555	3	4	Yellow	4.28	30
R1325013	8717365006562	3	5	Yellow	5.36	30
R1326001	8717365006586	4	1	Grey	1.44	3
R1326003	8717365006593	4	1.5	Grey	2.16	30
R1326005	8717365006609	4	2	Grey	2.89	30
R1326007	8717365006616	4	2.5	Grey	3.61	30
R1326009	8717365006623	4	3	Grey	4.33	30
R1326010	8717365006630	4	3.5	Grey	5.06	30
R1326011	8717365006647	4	4	Grey	5.78	30
R1326013	8717365006654	4	5	Grey	7.23	30

R1327001	8717365006661	5	1	Red	1.9	30
R1327003	8717365006678	5	1.5	Red	2.85	3
R1327005	8717365006685	5	2	Red	3.8	3
R1327007	8717365006692	5	2.5	Red	4.75	30
R1327009	8717365006708	5	3	Red	5.7	3
R1327010	8717365006715	5	3.5	Red	6.65	30
R1327011	8717365006722	5	4	Red	7.6	30
R1327013	8717365006739	5	5	Red	9.51	30
R1328001	8717365006746	6	1	Brown	2.07	3
R1328003	8717365006753	6	1.5	Brown	3.11	30
R1328005	8717365006760	6	2	Brown	4.15	30
R1328007	8717365006777	6	2.5	Brown	5.19	30
R1328009	8717365006784	6	3	Brown	6.23	30
R1328010	8717365006791	6	3.5	Brown	7.27	30
R1328011	8717365006807	6	4	Brown	8.31	30
R1328013	8717365006814	6	5	Brown	10.39	30
R1329001	8717365006821	8	1	Blue	1	30
R1329003	8717365006838	8	1.5	Blue	4.84	3
R1329005	8717365006845	8	2	Blue	6.46	30
R1329007	8717365006852	8	2.5	Blue	8.07	30
R1329009	8717365006869	8	3	Blue	9.69	30
R1329010	8717365006876	8	3.5	Blue	11.3	30
R1329011	8717365006883	8	4	Blue	12.92	30

R1329013	8717365006890	8	5	Blue	16.15	30
R1331001	8717365006906	10	1	Orange	3.82	3
R1331003	8717365006913	10	1.5	Orange	5.73	3
R1331005	8717365006920	10	2	Orange	7.64	30
R1331007	8717365006937	10	2.5	Orange	9.55	30
R1331009	8717365006944	10	3	Orange	11.46	30
R1331010	8717365006951	10	3.5	Orange	13.37	30
R1331011	8717365006968	10	4	Orange	15.28	30
R1331013	8717365006975	10	5	Orange	19.1	30