



# 1 leg REMA-10-RML-RDG-RCH

## Product information



The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

1 leg REMA-10 | masterlink RML | clevis shortening hook RDG | clevis sling hook RCH



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality.

**Marking:** According to standard, CE-marked

**Standard:** DIN 5692, DIN 17115, EN 1677-1, EN 818-7

**Grade:** 10

Part code	GTIN No.	Chain diameter mm	WLL ton	EWL m	Model	Weight kg	Delivery time
R2691306-1	8717365151422	6	1.4	1	1400KG-6MM-RDG-RCH-1M	1.9	3
R2691306-1.5	8717365151439	6	1.4	1.5	1400KG-6MM-RDG-RCH-1,5M	2.3	3
R2691306-2	8717365151446	6	1.4	2	1400KG-6MM-RDG-RCH-2M	2.7	3
R2691306-2.5	8717365151453	6	1.4	2.5	1400KG-6MM-RDG-RCH-2,5M	3.1	3
R2691306-3	8717365151460	6	1.4	3	1400KG-6MM-RDG-RCH-3M	3.5	3

R2691306-3.5	8717365151477	6	1.4	3.5	1400KG-6MM-RDG-RCH-3,5M	3.9	3
R2691306-4	8717365151484	6	1.4	4	1400KG-6MM-RDG-RCH-4M	4.3	3
R2691308-1	8717365151491	8	2.5	1	2500KG-8MM-RDG-RCH-1M	3	3
R2691308-1.5	8717365151507	8	2.5	1.5	2500KG-8MM-RDG-RCH-1,5M	3.75	3
R2691308-2	8717365151514	8	2.5	2	2500KG-8MM-RDG-RCH-2M	4.5	3
R2691308-2.5	8717365151521	8	2.5	2.5	2500KG-8MM-RDG-RCH-2,5M	5.25	3
R2691308-3	8717365151538	8	2.5	3	2500KG-8MM-RDG-RCH-3M	6	3
R2691308-3.5	8717365151545	8	2.5	3.5	2500KG-8MM-RDG-RCH-3,5M	6.75	3
R2691308-4	8717365151552	8	2.5	4	2500KG-8MM-RDG-RCH-4M	7.5	3
R2691310-1	8717365151569	10	4	1	4000KG-10MM-RDG-RCH-1M	4.8	3
R2691310-1.5	8717365151576	10	4	1.5	4000KG-10MM-RDG-RCH-1,5M	5.95	3
R2691310-2	8717365151583	10	4	2	4000KG-10MM-RDG-RCH-2M	7.1	3
R2691310-2.5	8717365151590	10	4	2.5	4000KG-10MM-RDG-RCH-2,5M	8.25	3
R2691310-3	8717365151606	10	4	3	4000KG-10MM-RDG-RCH-3M	9.4	3
R2691310-3.5	8717365151613	10	4	3.5	4000KG-10MM-RDG-RCH-3,5M	10.55	3
R2691310-4	8717365151620	10	4	4	4000KG-10MM-RDG-RCH-4M	11.7	3
R2691313-1	8717365151637	13	6.7	1	6700KG-13MM-RDG-RCH-1M	9.3	3
R2691313-1.5	8717365151644	13	6.7	1.5	6700KG-13MM-RDG-RCH-1,5M	11.3	3
R2691313-2	8717365151651	13	6.7	2	6700KG-13MM-RDG-RCH-2M	13.3	3
R2691313-2.5	8717365151668	13	6.7	2.5	6700KG-13MM-RDG-RCH-2,5M	15.3	3
R2691313-3	8717365151675	13	6.7	3	6700KG-13MM-RDG-RCH-3M	17.3	3
R2691313-3.5	8717365151682	13	6.7	3.5	6700KG-13MM-RDG-RCH-3,5M	19.3	3
R2691313-4	8717365151699	13	6.7	4	6700KG-13MM-RDG-RCH-4M	21.3	3

R2691316-1	8717365151705	16	10	1	10T-16MM-RDG-RCH-1M	15.5	3
R2691316-1.5	8717365151712	16	10	1.5	10T-16MM-RDG-RCH-1,5M	18.5	3
R2691316-2	8717365151729	16	10	2	10T-16MM-RDG-RCH-2M	21.5	3
R2691316-2.5	8717365151736	16	10	2.5	10T-16MM-RDG-RCH-2,5M	24.5	3
R2691316-3	8717365151743	16	10	3	10T-16MM-RDG-RCH-3M	27.5	3
R2691316-3.5	8717365151750	16	10	3.5	10T-16MM-RDG-RCH-3,5M	30.5	3
R2691316-4	8717365151767	16	10	4	10T-16MM-RDG-RCH-4M	33.5	3