

Chain sling assy 3-leg REMA-10-RMA-RDG-RCH

Product information



REMA[®]

The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

3-leg REMA-10 chain | masterlink RML | clevis shortening hook RDG | clevis sling hook RCH



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 1677-1, DIN 17115, DIN 5692

Safety factor: 4

Grade: 10

Chain sling assy 3-leg REMA-10-RMA-RDG-RCH

Technical data

Part code	GTIN No.	Chain diameter mm	WLL ton	EWL m	WLL 0-45° t	WLL 45-60° t	Model	Weight kg
R2693306-1	8717365154225	6	2.94	1	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-1M	5.9
R2693306-1.5	8717365154232	6	2.94	1.5	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-1,5M	7.1
R2693306-2	8717365154249	6	2.94	2	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-2M	8.3
R2693306-2.5	8717365154256	6	2.94	2.5	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-2,5M	9.5
R2693306-3	8717365154263	6	2.94	3	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-3M	10.7
R2693306-3.5	8717365154270	6	2.94	3.5	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-3,5M	11.9
R2693306-4	8717365154287	6	2.94	4	2.94	2,1	2940KG-6MM-RMA-RDG-RCH-4M	13.1
R2693308-1	8717365154294	8	5.25	1	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-1M	11.4
R2693308-1.5	8717365154300	8	5.25	1.5	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-1,5M	13.65
R2693308-2	8717365154317	8	5.25	2	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-2M	15.9
R2693308-2.5	8717365154324	8	5.25	2.5	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-2,5M	18.15
R2693308-3	8717365154331	8	5.25	3	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-3M	20.4
R2693308-3.5	8717365154348	8	5.25	3.5	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-3,5M	22.65
R2693308-4	8717365154355	8	5.25	4	5.25	3,75	5250KG-8MM-RMA-RDG-RCH-4M	24.9
R2693310-1	8717365154362	10	8.4	1	8.4	6	8400KG-10MM-RMA-RDG-RCH-1M	19.5
R2693310-1.5	8717365154379	10	8.4	1.5	8.4	6	8400KG-10MM-RMA-RDG-RCH-1,5M	22.95
R2693310-2	8717365154386	10	8.4	2	8.4	6	8400KG-10MM-RMA-RDG-RCH-2M	26.4
R2693310-2.5	8717365154393	10	8.4	2.5	8.4	6	8400KG-10MM-RMA-RDG-RCH-2,5M	29.85
R2693310-3	8717365154409	10	8.4	3	8.4	6	8400KG-10MM-RMA-RDG-RCH-3M	33.3
R2693310-3.5	8717365154416	10	8.4	3.5	8.4	6	8400KG-10MM-RMA-RDG-RCH-3,5M	36.75
R2693310-4	8717365154423	10	8.4	4	8.4	6	8400KG-10MM-RMA-RDG-RCH-4M	40.2
R2693313-1	8717365154430	13	14	1	14	10,05	14T-13MM-RMA-RDG-RCH-1M	34
R2693313-1.5	8717365154447	13	14	1.5	14	10,05	14T-13MM-RMA-RDG-RCH-1,5M	40
R2693313-2	8717365154454	13	14	2	14	10,05	14T-13MM-RMA-RDG-RCH-2M	46
R2693313-2.5	8717365154461	13	14	2.5	14	10,05	14T-13MM-RMA-RDG-RCH-2,5M	52
R2693313-3	8717365154478	13	14	3	14	10,05	14T-13MM-RMA-RDG-RCH-3M	58
R2693313-3.5	8717365154485	13	14	3.5	14	10,05	14T-13MM-RMA-RDG-RCH-3,5M	64
R2693313-4	8717365154492	13	14	4	14	10,05	14T-13MM-RMA-RDG-RCH-4M	70
R2693316-1	8717365154508	16	21	1	21	15	21T-16MM-RMA-RDG-RCH-1M	57.4
R2693316-1.5	8717365154515	16	21	1.5	21	15	21T-16MM-RMA-RDG-RCH-1,5M	66.4
R2693316-2	8717365154522	16	21	2	21	15	21T-16MM-RMA-RDG-RCH-2M	75.4

Chain sling assy 3-leg REMA-10-RMA-RDG-RCH

Technical data

Part code	GTIN No.	Chain diameter mm	WLL ton	EWL m	WLL 0-45° t	WLL 45-60° t	Model	Weight kg
R2693316-2.5	8717365154539	16	21	2.5	21	15	21T-16MM-RMA-RDG-RCH-2,5M	84.4
R2693316-3	8717365154546	16	21	3	21	15	21T-16MM-RMA-RDG-RCH-3M	93.4
R2693316-3.5	8717365154553	16	21	3.5	21	15	21T-16MM-RMA-RDG-RCH-3,5M	102.4
R2693316-4	8717365154560	16	21	4	21	15	21T-16MM-RMA-RDG-RCH-4M	111.4