

Chain sling assy 3-leg REMA-10-RMA-RDG-RCS

Product information



REMA[®]

The [Rema® 10 assortment](#) offers versatile chain sling solutions, allowing you to easily create one, two, three, or four-legged chain sling assemblies. Each component is designed for durability and can be delivered and replaced individually when needed.

3 leg REMA-10 chain | masterlink RMA | clevis shortening hook RDG | self locking clevis hook RCS



Each component of this chain sling assembly carries the distinctive **H-84** mark certified by the [German DGUV](#), ensuring a testament to its exceptional quality. [... Read more](#)

Marking: According to standard, CE-marked

Standard: EN 818-7, EN 1677-1, DIN 17115, DIN 5692

Safety factor: 4

Grade: 10

Chain sling assy 3-leg REMA-10-RMA-RDG-RCS

Technical data

Part code	GTIN No.	Chain diameter mm	WLL ton	EWL m	WLL 0-45° t	WLL 45-60° t	Model	Weight kg
R2693406-1	8717365154577	6	2.94	1	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-1M	6.5
R2693406-1.5	8717365154584	6	2.94	1.5	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-1,5M	7.7
R2693406-2	8717365154591	6	2.94	2	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-2M	8.9
R2693406-2.5	8717365154607	6	2.94	2.5	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-2,5M	10.1
R2693406-3	8717365154614	6	2.94	3	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-3M	11.3
R2693406-3.5	8717365154621	6	2.94	3.5	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-3,5M	12.5
R2693406-4	8717365154638	6	2.94	4	2.94	2,1	2940KG-6MM-RMA-RDG-RCS-4M	13.7
R2693408-1	8717365154645	8	5.25	1	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-1M	11.7
R2693408-1.5	8717365154652	8	5.25	1.5	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-1,5M	13.85
R2693408-2	8717365154669	8	5.25	2	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-2M	16.2
R2693408-2.5	8717365154676	8	5.25	2.5	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-2,5M	18.45
R2693408-3	8717365154683	8	5.25	3	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-3M	20.7
R2693408-3.5	8717365154690	8	5.25	3.5	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-3,5M	22.95
R2693408-4	8717365154706	8	5.25	4	5.25	3,75	5250KG-8MM-RMA-RDG-RCS-4M	25.2
R2693410-1	8717365154713	10	8.4	1	8.4	6	8400KG-10MM-RMA-RDG-RCS-1M	20.1
R2693410-1.5	8717365154720	10	8.4	1.5	8.4	6	8400KG-10MM-RMA-RDG-RCS-1,5M	23.55
R2693410-2	8717365154737	10	8.4	2	8.4	6	8400KG-10MM-RMA-RDG-RCS-2M	27
R2693410-2.5	8717365154744	10	8.4	2.5	8.4	6	8400KG-10MM-RMA-RDG-RCS-2,5M	30.45
R2693410-3	8717365154751	10	8.4	3	8.4	6	8400KG-10MM-RMA-RDG-RCS-3M	33.9
R2693410-3.5	8717365154768	10	8.4	3.5	8.4	6	8400KG-10MM-RMA-RDG-RCS-3,5M	36.3
R2693410-4	8717365154775	10	8.4	4	8.4	6	8400KG-10MM-RMA-RDG-RCS-4M	39.75
R2693413-1	8717365154782	13	14	1	14	10,05	14T-13MM-RMA-RDG-RCS-1M	36.2
R2693413-1.5	8717365154799	13	14	1.5	14	10,05	14T-13MM-RMA-RDG-RCS-1,5M	42.2
R2693413-2	8717365154805	13	14	2	14	10,05	14T-13MM-RMA-RDG-RCS-2M	48.2
R2693413-2.5	8717365154812	13	14	2.5	14	10,05	14T-13MM-RMA-RDG-RCS-2,5M	54.2
R2693413-3	8717365154829	13	14	3	14	10,05	14T-13MM-RMA-RDG-RCS-3M	60.2
R2693413-3.5	8717365154836	13	14	3.5	14	10,05	14T-13MM-RMA-RDG-RCS-3,5M	66.2
R2693413-4	8717365154843	13	14	4	14	10,05	14T-13MM-RMA-RDG-RCS-4M	72.2
R2693416-1	8717365154850	16	21	1	21	15	21T-16MM-RMA-RDG-RCS-1M	62.5
R2693416-1.5	8717365154867	16	21	1.5	21	15	21T-16MM-RMA-RDG-RCS-1,5M	71.5
R2693416-2	8717365154874	16	21	2	21	15	21T-16MM-RMA-RDG-RCS-2M	80.5

Chain sling assy 3-leg REMA-10-RMA-RDG-RCS

Technical data

Part code	GTIN No.	Chain diameter mm	WLL ton	EWL m	WLL 0-45° t	WLL 45-60° t	Model	Weight kg
R2693416-2.5	8717365154881	16	21	2.5	21	15	21T-16MM-RMA-RDG-RCS-2,5M	89.5
R2693416-3	8717365154898	16	21	3	21	15	21T-16MM-RMA-RDG-RCS-3M	98.5
R2693416-3.5	8717365154904	16	21	3.5	21	15	21T-16MM-RMA-RDG-RCS-3,5M	107.5
R2693416-4	8717365154911	16	21	4	21	15	21T-16MM-RMA-RDG-RCS-4M	116.5