

## PT Pallet truck

### Product information



# REMA<sup>®</sup>

The REMA PT pallet trucks fitted with pump (model 25) are very manoeuvrable and user-friendly. The tandem fork rollers are advantageous when using these pallet truck on a less smooth floor. Single truck roller designs are frequently used in the transport sector (rubber steer wheels and polyurethane rollers).

#### Properties

- Quick-Lift pump (model 25) for a quick lifting of pallets.
- The pump unit has an overload protection function.
- A chromate-coated and polished piston rod provides a long life for the hydraulic cylinder.

#### Operation:

- All pump functions can be operated precisely by means of the three-position control lever.
- Variable lowering speed even under load.
- The tow bar will automatically return to vertical position.

#### Fork:

- The robust plate steel fork profiles have flattened ends and they are fitted with in- and outrunning rollers to move pallets easier.

#### Optional footbrake:

- Optional only for the polyurethane and rubber steering wheels.
- The brake can be operated with a simple foot movement, for both locking and unlocking the brake.
- An advantage is that the pallet truck can remain in the highest position, e.g. on a tailgate (inclined angle), since the steering wheels are blocked.
- This prevents unnecessary lifting / pumping of a pallet. [... Read more](#)

**Marking:** According to standard, CE-marked  
**Standard:** EN 12100, EN 3691-5, EN 1757-2

## PT Pallet truck

### Technical data

| Part code | GTIN No.      | WLL ton | Model       | Width of forks mm | Minimum height of fork mm | Version of fork roller | Material fork wheel | Material steering wheel | Dimensions mm | Colour | Weight kg |
|-----------|---------------|---------|-------------|-------------------|---------------------------|------------------------|---------------------|-------------------------|---------------|--------|-----------|
| R3410023  | 8717365162534 | 1       | PTX-10TNN   | 160               | 85                        | Tandem                 | Nylon               | Nylon                   | 2000 x 540    | Orange | 85        |
| R3410025  | 8717365162541 | 1.2     | PTM-12TNN   | 160               | 85                        | Tandem                 | Nylon               | Nylon                   | 1800 x 540    | Orange | 80        |
| R3410021  | 8717365162527 | 1.8     | PTL-18TNN   | 160               | 85                        | Tandem                 | Nylon               | Nylon                   | 1500 x 540    | Orange | 80        |
| R3410001  | 8717365162596 | 2.5     | PTS-25TPP   | 160               | 85                        | Tandem                 | polyuretan          | polyuretan              | 1150 x 540    | Orange | 75        |
| R3410011  | 8717365162466 | 2.5     | PTS-25TNN   | 160               | 85                        | Tandem                 | Nylon               | Nylon                   | 1150 x 540    | Orange | 75        |
| R3410013  | 8717365162480 | 2.5     | PTS-25TPR   | 160               | 85                        | Tandem                 | polyuretan          | Rubber                  | 1150 x 540    | Orange | 75        |
| R3410014  | 8717365162497 | 2.5     | PTSKB-25TPP | 160               | 85                        | Tandem                 | polyuretan          | polyuretan              | 1000 x 680    | Orange | 75        |
| R3410015  | 8717365162503 | 2.5     | PTK-25TPR   | 160               | 85                        | Tandem                 | polyuretan          | Rubber                  | 1000 x 540    | Orange | 75        |
| R3410017  | 8717365162510 | 2.5     | PTC-25SPR   | 160               | 85                        | Single                 | polyuretan          | Rubber                  | 800 x 540     | Orange | 75        |
| R3410012  | 8717365162473 | 2.5     | PTB-25TNN   | 160               | 85                        | Tandem                 | Nylon               | Nylon                   | 1150 x 685    | Orange | 80        |
| R3410005  | 8717365162459 | 2.5     | PTK-25SPR-E | 160               | 85                        | Single                 | polyuretan          | Rubber                  | 1000 x 540    | Orange | 86        |

| Model       | Material steering wheel | Material fork rol |
|-------------|-------------------------|-------------------|
| PTS-25TPP   | Polyurethane            | Polyurethane      |
| PTK-25SPR-E | Rubber                  | Polyurethane      |
| PTC-25SPR   | Rubber                  | Polyurethane      |
| PTK-25TPR   | Rubber                  | Polyurethane      |
| PTS-25TPR   | Rubber                  | Polyurethane      |
| PTSKB-25TPP | Polyurethane            | Polyurethane      |
| PTS-25TNN   | Nylon                   | Nylon             |
| PTB-25TNN   | Nylon                   | Nylon             |
| PTL-18TNN   | Nylon                   | Nylon             |
| PTM-12TNN   | Nylon                   | Nylon             |
| PTX-10TNN   | Nylon                   | Nylon             |

## PT Pallet truck

---