

## Electric wire hoist for lifting and pulling 230 V / 50 Hz



### Product information

Light and easy to operate electrical winch for pulling and lifting. Equipped with remote control, latch hook and overload indicator.

**Note! Cable operating lengths:**

- VANOS250: 6.8 mtr
- VANOS450: 3.4 mtr

**Features:** Speed 5 m/min | Remote control range 8 m (unobstructed view)

**Marking:** CE-marked

Part code	WLL ton	Operation voltage (V)	Rope length m	Motor kW	Weight kg	Delivery time
5406VANOS250	0.25	230	8	1.2	7	30
5406VANOS450	0.45	230	4.6	1.2	7	30

### Technical data

### SPARE PARTS

Electric wire hoist with remote control 230V 50Hz VANOS250 and VANOS450 blueprint



Spare part (product code)	Description	Suitable for hoist (product code/-s)
VANOSVAI8	Wire rope 8 m   $\varnothing$ 4,8 mm, effective working length 6,8 m   Incl. drum	VANOS250
VANOSVAI4,6	Wire rope 4,6 m   $\varnothing$ 5,8 mm, effective working length 3,4 m   Incl. drum	VANOS450
VANOSKAUKO	Remote control   Part no. 55	VANOS250, VANOS450
VANOSHIILI	Coal   Note! 2 pcs/hoist	VANOS250, VANOS450
VANOSVO3	Spline shaft   Part no. 3	VANOS250, VANOS450
VANOSVO20	Circuit board set   Part no. 20	VANOS250, VANOS450
VANOSVO25	Power cord set   Part nos. 25 and 28 (plastic snap ring)	VANOS250, VANOS450
VANOSVO44	Pressure plate   Part no. 44	VANOS250, VANOS450

VANOSVO41	Pressure plate   Part no. 41	VANOS250, VANOS450
VANOSVO52	Pressure plate's tension spring   Part no. 52	VANOS250, VANOS450
VANOSYKOU	Top swivel hook, incl. fasteners   Part no. 36	VANOS250, VANOS450
VANOSAKOU	Bottom hook, incl. fasteners   Part no. 11	VANOS250, VANOS450

Also other spare parts available with a delivery time, ask our sales for more information

### Blueprint

